

## MR-1, Mini-Rocker Shaker

Rocker **MR-1** provides regulated gentle rocking motion of the platform and mixing of liquid components.

It is a compact, noiseless device designed for personal use.

Ideal for minigel destaining after electrophoresis, conducting reactions of Northern, Southern, Western blots and agglutination.

Non-slip rubber mat located on the shaker's platform provides stable position for vessels during shaking.

Rocker can be used in cold rooms or incubators, operating at ambient temperature range +5°C to +40°C. Low voltage external power supply (12 V) provides electrical safety in humid environment.



Rocking uni-rotation



Product video is available on the website

### Specifications:

Mixing frequency range	7.5–30 oscill/min
Fixed tilt angle	7°
Digital timer with sound alarm	1 min to 23 hrs 59 min (with automatic switch off)
Non-slip rubber mat is supplied as standard	
Maximum load	0.5 kg
Display	LED
Platform working area	200 x 200 mm
Overall dimensions	220 x 205 x 120 mm
Weight, not more	2 kg
External power supply	DC 12V, 500 mA

### Accessories for the standard platform:

- A** Optional adapter TP-26 for 26 tubes up to 11 mm diameter
- B** Optional dimpled mat PDM prevents different size tubes from rolling around the platform


### Catalogue number:

<b>MR-1</b> with standard platform	BS-010107-AAG
<b>A</b> TP-26	BS-010105-AK
<b>B</b> PDM	PDM

MR-1 with PDM dimpled mat



MR-1 with Petri dishes



**A** Adapter TP-26



**B** PDM

